

Job Name : _____
 Purchaser : _____
 Engineer : _____
 Submitted To : _____
 Submitted By : _____
 Unit Designation : Schedule No.: _____

Location : _____
 P.O. No. : _____
 Architect : _____
 Date : _____
 For : Reference Approval Construction
 Model No.: _____

Submittal Data : LS122CE

**Air Conditioner
 Single Zone Mini Split**



Capacities :

Rated Cooling Capacity (Btu/h)	11,500
Power Input (W, Cooling)	1,150
SEER	13.0
EER	10.0

Cooling Nominal Test Condition :
 Indoor : 80 DB / 67 WB
 Outdoor : 95 DB / 75 WB
 Pipe Length : 25ft

Indoor Unit :

Power Supply (V,Ph,Hz)	36V DC
Minimum Circuit Ampacity (A)	Powered by outdoor unit
Maximum Overcurrent Protection (A)	Powered by outdoor unit
Weight (lbs)	20.5
Sound Pressure (dB(A), H/M/L Cool, 3.3ft front)	41/36/34
Air Circulation (CFM, H/M/L Cool)	330/280/230
Dehumidification (pts/hr)	3.0
Drain Pipe (inches, O.D, I.D)	3/4, 5/8

Outdoor Unit :

Power Supply (V,Ph,Hz)	115,1.60
Minimum Circuit Ampacity (A)	15
Maximum Overcurrent Protection (A)	20
Running Current (A)	10.5
Weight (lbs)	72.8
Sound Pressure (dB(A), High Cool, 3.3ft front)	48

Refrigerant Piping :

Maximum Length (ft)	50
Maximum Height Difference (ft)	25
Liquid Side (inches, O.D)	1/4
Gas Side (inches, O.D)	1/2
Refrigerant	R410A

Operating Range :


Cooling Operating Range (, standard)	0 - 115
---------------------------------------	---------

Standard Features :

- Five Year Compressor Warranty
- Two Year Functional Parts Warranty
- Plasma Air Purifying System
- Chaos Swing Air Circulation
- Jet Cool™
- LCD Wireless Remote Controller
- Auto Restart
- 24 Hour On/Off Timer
- Built-in Low Ambient Standard down to 0 at cooling mode

Note :

LSN122CE



LSU122CE

